

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	routing adj protocol adj application	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:42
L2	44	protocol adj application with version	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:43
L3	3	application near version same (routing forwarding) adj table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:43
L4	2	application with instance near2 (number value) same (routing forwarding) adj table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:43
L5	2	"20030009584"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:27
L6	1549	forwarding adj table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:27
L7	2	forwarding adj table same application near3 version	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:36
L8	342	forwarding adj table with updat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:38
L9	67	forwarding adj table with updat\$3 same (increment\$3 increas\$3 add\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:02
L10	2	("6678274").URPN.	USPAT	OR	ON	2005/09/19 13:51
L11	4	forwarding adj table same version with (increment\$3 increas\$3 add\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:04
L12	1	forwarding adj table same incarnation with (increment\$3 increas\$3 add\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:04

L13	36	forwarding adj table same (number count value variable) near2 (increment\$3 increas\$3 add\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:05
L14	22	13 not 9	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:32
L15	10	network adj process\$3 same table with version	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:39
L16	426	(709/242).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/19 14:39
L17	2214	(709/238).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/19 14:40
L18	35	8 and 17	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:40
L19	34	18 not 13	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:02
L20	478	370/395.31	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:16
L21	9118	(incamation version) adj number	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:16
L22	852	(incamation version) adj number with (increment\$3 increas\$3 add\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:16
L23	1	(incamation version) adj number with (increment\$3 increas\$3 add\$3) same network near2 (forward\$3 route routing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:47
L24	12	(incamation version) with (increment\$3 increas\$3 add\$3) same network near2 (forward\$3 route routing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:47
L25	104	(incamation version) with (increment\$3 increas\$3 add\$3) same network same (forward\$3 route routing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:47

L26	13	(incarnation version) with (increment\$3 increas\$3 add\$3) same network same (forward\$3 route routing) same table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:48
L27	4	("6567380").URPN.	USPAT	OR	ON	2005/09/19 17:41
L28	1345	(714/4).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/19 17:41
L29	117	28 and ((forward\$3 routing) adj table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 17:41
L30	95	29 and ((@ad < "20010620") or (@prad < "20010620") or (@rlad < "20010620"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 17:43
L31	34	29 and ((@ad < "20010620") or (@prad < "20010620") or (@rlad < "20010620")) and (routing adj protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 17:44
L32	7	29 and ((@ad < "20010620") or (@prad < "20010620") or (@rlad < "20010620")) and (routing adj protocol) and version	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 17:47
L33	70	(version and (forward forwarding forwarded) and table and network).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 17:48
S1	2	"20030009584"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 15:36
S2	8	((("5826253") or ("5938775") or ("6009266") or ("6031987"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 16:08
S3	250	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same packet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 09:53
S4	26	(network adj (processor or device) same ((rout\$3 or forward\$3) with table) same packet).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 09:53
S5	17	(network adj (processor or device) same ((rout\$3 or forward\$3) with table) same (remov\$3 or updat\$3 or delet\$3) with entry)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 09:54
S6	20	"6192051".URPN.	USPAT	OR	ON	2004/06/21 10:12

S7	8	((("6496510") or ("6643706") or ("6678274") or ("6192051"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 10:57
S8	4	((("6496510") or ("6643706") or ("6678274") or ("6192051"))).PN.	USPAT; USOCR	OR	OFF	2004/06/21 10:57
S9	19	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same packet same (version or criteria)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 11:58
S10	0	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same entry near3 (version)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 11:58
S11	1	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same entry with (version)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 11:59
S12	2	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same entry with (version or identifier)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 12:01
S13	4	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same entry with (version or identification)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 12:02
S14	11	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same entry with (select\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 12:04
S15	12	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same entry with (value)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 13:36
S16	4	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same entry with (age)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 14:14
S17	14	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same entry with (time)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 14:21
S18	2	network adj (processor or device) same ((rout\$3 or forward\$3) with table) same entry with (criteria or condition)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 14:22
S19	14	(US-6658481-\$ or US-6697862-\$ or US-6192051-\$ or US-6711153-\$ or US-6680916-\$ or US-6678274-\$ or US-6643269-\$ or US-6643706-\$ or US-6496510-\$ or US-6628653-\$ or US-6393026-\$ or US-6661787-\$).did. or (US-20020026528-\$ or US-20030172147-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/06/21 14:55
S20	11	((US-6658481-\$ or US-6697862-\$ or US-6192051-\$ or US-6711153-\$ or US-6680916-\$ or US-6678274-\$ or US-6643269-\$ or US-6643706-\$ or US-6496510-\$ or US-6628653-\$ or US-6393026-\$ or US-6661787-\$).did. or (US-20020026528-\$ or US-20030172147-\$).did.) and (select\$3 or determin\$9) with (entry or table)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 14:56

S21	1	((US-6658481-\$ or US-6697862-\$ or US-6192051-\$ or US-6711153-\$ or US-6680916-\$ or US-6678274-\$ or US-6643269-\$ or US-6643706-\$ or US-6496510-\$ or US-6628653-\$ or US-6393026-\$ or US-6661787-\$).did. or (US-20020026528-\$ or US-20030172147-\$).did.) and (select\$3 or determin\$9) with (entry or table) with (criteria or identifier)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 14:57
S22	4	((("6496510") or ("6643706"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 15:05
S23	948	((709/242) or (719/310)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 15:05
S24	84	((((709/242) or (719/310)).CCLS.) and (rout\$3 with table with (modif\$9 or updat\$4)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 15:06
S25	84	((((709/242) or (719/310)).CCLS.) and (rout\$3 with table with (modif\$9 or updat\$4)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 16:15
S26	2	"20030009584"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 15:48
S27	2	"6769033"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 15:48
S28	51684	(calculat\$6 or estimat\$6 or determin\$6 or comput\$4) with (resource or cpu or memory or bandwidth) near2 (us\$3 or consum\$3 or consumption or utilization)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:15
S29	504	(calculat\$6 or estimat\$6 or determin\$6 or comput\$4) with (resource or cpu or memory or bandwidth) near2 (us\$3 or consum\$3 or consumption or utilization) same (transaction or job or task or process or thread) near5 (log or logging or record\$3 or file)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:16
S30	5843	(calculat\$6 or estimat\$6 or determin\$6 or comput\$4) with (resource or cpu or memory or bandwidth) near2 (us\$3 or consum\$3 or consumption or utilization) with (time or timestamp or period\$2 or interval)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:16
S31	186	(calculat\$6 or estimat\$6 or determin\$6 or comput\$4) with (resource or cpu or memory or bandwidth) near2 (us\$3 or consum\$3 or consumption or utilization) same (transaction or job or task or process or thread) near5 (log or logging or record\$3 or file) same (time or period\$2 or interval)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:19
S32	145	S31 and ((@ad < "20011210") or (@prad < "20011210") or (@rlad < "20011210"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:21

S33	117	(calculat\$6 or estimat\$6 or determin\$6 or comput\$4) near5 (resource or cpu or memory or bandwidth) near2 (us\$3 or consum\$3 or consumption or utilization) same (transaction or job or task or process or thread) near5 (log or logging or record\$3 or file) same (time or period\$2 or interval)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:28
S34	85	S33 and ((@ad < "20011210") or (@prad < "20011210") or (@rlad < "20011210"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:29
S35	38	(calculat\$6 or estimat\$6 or determin\$6 or comput\$4) near5 (resource or cpu or memory or bandwidth) near2 (usage or consum\$3 or consumption or utilization) same (transaction or job or task or process or thread) near5 (log or logging or record\$3 or file) same (time or period\$2 or interval)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:37


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

site:citeseer.ist.psu.edu "forwarding table" ver:

Search

[Advanced Search](#)
[Preferences](#)
Web Results 1 - 30 of about 38 from citeseer.ist.psu.edu for "forwarding table" version. (0.16 seconds)

DVMRP Forwarding Table (ResearchIndex)

DVMRP Forwarding Table (Make Corrections) The key elements in DVMRP routing Table include The ... the current **version** of the DVMRP treats the MBONE as A sing.

citeseer.ist.psu.edu/479468.html - Supplemental Result - [Similar pages](#)

Citations: Protocol Independent Multicast Version 2, Dense Mode ...

Deering, S, et. al., Protocol Independent Multicast **Version 2**, ... have greatly reduced the requirement of **forwarding table** storage compared with DVMRP [3] ...

citeseer.ist.psu.edu/context/757516/0 - Supplemental Result - [Similar pages](#)

Citations: Core Based Trees (CBT Version 2) Multicast Routing ...

A. Ballardie, Core Based Trees (CBT **Version 2**) Multicast Routing ... 7] have greatly reduced the requirement of **forwarding table** storage compared with DVMRP ...

citeseer.ist.psu.edu/context/506387/0 - Supplemental Result - [Similar pages](#)

Citations: Small forwarding - Degermark, Brodnik, Carlsson, Pink ...

... and generates A **version** of the route for the route cache. ... Since the **forwarding Table** contains prefix routes and the route cache is A cache of routes ...

citeseer.ist.psu.edu/context/969043/0 - Supplemental Result - [Similar pages](#)

Citations: Routing on longest-matching prefixes - Doeringer ...

... It amounts to finding the longest address prefix in the **forwarding table** that matches the ... radix tree [11], has been implemented in the 4.3 **version** of Berkeley ...

citeseer.ist.psu.edu/context/98184/0 - 33k - Supplemental Result - [Cached](#) - [Similar pages](#)

Citations: Small Forwarding Tables for Fast Routing Lookups ...

... address is between 8 and 32 bits long. In IP **version 6**, the hosts will be assigned 128 bit long addresses. ... Small **Forwarding Table** for Fast Routing Lookups. ...

citeseer.ist.psu.edu/context/161446/0 - 55k - Supplemental Result - [Cached](#) - [Similar pages](#)

Citations: The trade-offs of multicast trees and algorithms - Wei ...

... A distributed **version** of KMB was proposed by Wall [2]. KMB algorithm ... in local network or downstream and thus may cause explosion of multicast **forwarding table**. ...

citeseer.ist.psu.edu/context/11745/10070 - 35k - Supplemental Result - [Cached](#) - [Similar pages](#)

Citations: an address assignment and aggregation strategy - Fuller ...

the original **version** of RIP was designed as part of the BSD release of UNIX ... maintain a **forwarding Table** entry indicating how to route to that network. ...

citeseer.ist.psu.edu/context/141776/0 - Supplemental Result - [Similar pages](#)

Citations: A comparison between two routing protocols: OSPF and IS ...

... datagram is forwarded by a router based on a **forwarding table**. ... 5, 8]

Ex287 amplies of link state algorithms are the distributed **version** of Dijkstra s ...

citeseer.ist.psu.edu/context/50541/0 - 24k - [Cached](#) - [Similar pages](#)

Citations: IP Lookups using Multiway and Multicolumn Search ...

... named **forwarding table**, is constructed from the routing table T [3, 5, 8, 11, 16, 22, 24]. ... Conference **version** in IEEE INFOCOM'98, pages 1188-1196. ...

citeseer.ist.psu.edu/context/161444/21637 - 37k - [Cached](#) - [Similar pages](#)

Citations: A traceroute' facility for IP multicast - Fenner ...

... The mtrace utility, a multicast **version** of traceroute, can provide this information[5 ... Comparing fixw mbone s **forwarding table** with fixw mbone s sdr cache, ...
citeseer.ist.psu.edu/context/969083/0 - 31k - Supplemental Result - [Cached](#) - [Similar pages](#)

Citations: OSPF Anatomy of an Internet Routing Protocol - Moy ...

... and applies the results to build its **forwarding table**. ... A similar algorithm was implemented in the second **version** of ARPANET [11] We
citeseer.ist.psu.edu/context/274014/0 - 55k - [Cached](#) - [Similar pages](#)

Citations: Trends in Denial of Service Attack Technology - Houle ...

... in the routing **forwarding table**. ... K. Houle, G. Weaver, N. Long, R. Thomas, "Trends in Denial of Service Attack Technology", **Version** 1.0, CERT Coordination Center ...
citeseer.ist.psu.edu/context/2024828/0 - 19k - Supplemental Result - [Cached](#) - [Similar pages](#)

Citations: Index structures for selective dissemination of ...

in order to describe our extended **version** of the algorithm, we First give a high level view of the structure of the **Forwarding table** and
citeseer.ist.psu.edu/context/175970/97449 - Supplemental Result - [Similar pages](#)

Citations: Core Based Trees (CBT - Ballardie, Francis, Crowcroft ...

Update of unicast routing table leads to **forwarding table** update which essentially ... which is a QoS **version** of the Core Based Tree protocol [14]. ...
citeseer.ist.psu.edu/context/343727/0 - 36k - [Cached](#) - [Similar pages](#)

Citations: A lower bound on the complexity of the union-split-find ...

They also gave a matching upper bound for the static **version** of our problem. ... The **forwarding table** can be built during a single pass over all routing ...
citeseer.ist.psu.edu/context/98190/0 - 19k - [Cached](#) - [Similar pages](#)

On the Aggregatability of Multicast Forwarding State - Thaler ...

... aggregation of ranges of Multicast addresses In the **Forwarding table**. ... 20 Protocol independent Multicast **version** (Context) - Deering, Estrin et al. ...
citeseer.ist.psu.edu/thaler00aggregatability.html - Supplemental Result - [Similar pages](#)

On the Aggregatability of Multicast Forwarding (ResearchIndex)

... which allows aggregation of ranges of Multicast addresses In the **Forwarding table**. ... 23 Protocol independent Multicast **version** 2, dense mode Specifi. ...
citeseer.ist.psu.edu/523886.html - Supplemental Result - [Similar pages](#)

Citations: Fast address lookups using controlled prefix expansion ...

Forwarding table and produces a set of Matching prefixes. Among them, the longest prefix, which has the most ... full **version** to appear in ACM TOCS. ...
citeseer.ist.psu.edu/context/880002/581312 - Supplemental Result - [Similar pages](#)

Citations: - The, An, Management, IP, Prentice, Englewood, NJ ...

An Analysis of The Simple Network Management Protocol **version** 2 - Schekkermandefines A modified IP **forwarding table** MIB. The framework has been, ...
citeseer.ist.psu.edu/context/63750/0 - Supplemental Result - [Similar pages](#)

Network Working Group F. Baker Request For Comments: 1354 ACC July ...

... For Comments: 1354 ACC July 1992 IP **Forwarding Table** MIB (Make Corrections)
 ... 14 OSPF **Version** 2 Management Information Base (Context) - Baker - 1991 ...

citeseer.ist.psu.edu/668527.html - Supplemental Result - [Similar pages](#)

Citations: Faster IP Lookups using Controlled Prefix Expansion ...

... named **forwarding table**, is constructed from the routing table T [3, 5, 8, ... 17(1):1-40, 1999. Conference **version** in ACM SIGMETRICS'98, pages 1-10. ...

citeseer.ist.psu.edu/context/161449/355902 - Supplemental Result - [Similar pages](#)

On the Aggregatability of Multicast Forwarding State - Thaler ...

... which allows aggregation of ranges of Multicast addresses In the **Forwarding table**. ... 23 Protocol independentmulticast **version** 2, dense mode specific. ...

citeseer.ist.psu.edu/273223.html - Supplemental Result - [Similar pages](#)

Citations: The design and implementation of an operating system to ...

... The new **forwarding table** lookup function returns a struct rt entry for the next hop ... A Secure PLAN (Extended **Version**) - Michael Hicks Computer (2002) (Correct). ...

citeseer.ist.psu.edu/context/107354/119585 - 53k - Supplemental Result - [Cached](#) - [Similar pages](#)

Avoiding Instability during Graceful Shutdown of OSPF - Shaikh ...

Proposition 6 In the expanded **version** of this paper [8] proves that this disparity does not lead ... 0.6: DVMRP **forwarding Table** - Since the Dvmrp (Correct) ...

citeseer.ist.psu.edu/shaikh02avoiding.html - Supplemental Result - [Similar pages](#)

Citations: Hash-Routing for Collections of Shared Web Caches ...

... two papers which helped mold the AWC **forwarding table** into what it has become.

... ie the **version** of the document in the cache becomes out of date. ...

citeseer.ist.psu.edu/context/91346/90285 - 62k - [Cached](#) - [Similar pages](#)

Introduction to IP Multicast Routing - Maufer, Semeria (ResearchIndex)

34.4%: DVMRP **Forwarding Table** - Since The Dvmrp (Correct) ... 6: Private

Network-Network Interface Specification **Version** - Forum - 1996 ...

citeseer.ist.psu.edu/semeria96introduction.html - 18k - [Cached](#) - [Similar pages](#)

Citations: Distance vector multicast routing protocol - Partridge ...

Version 3 of IGMP (Internet Group Management protocol) 7] is used due to its ...

reduced the requirement of **forwarding Table** storage compared with DVMRP [3] ...

citeseer.ist.psu.edu/cs?q=dbnum%3D1%2CGID%3D11741%2CDID%3D0%2Cstart%3D50%2Ccluster%3Dnone%2Cqtype%3Dcontext: - Supplemental Result - [Similar pages](#)

Unknown (ResearchIndex)

7 IP **Forwarding Table** MIB (Context) - Baker - 2096 7 Definitions of Managed

Objects for the Fourth **Version** of the.. (Context) - Willis, Burruss - 1994 ...

citeseer.ist.psu.edu/666952.html - Supplemental Result - [Similar pages](#)

Multicast Tree Construction In Directed Networks - Klinker ...


Thus, the Multicast **forwarding table** is obtained From the source based ...

7 Internet Group Management Protocol **Version** (Context) - Cain, Deering et al. ...

citeseer.ist.psu.edu/klinker96multicast.html - Supplemental Result - [Similar pages](#)

Google ►

Result Page: 1 2 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

site:citeseer.ist.psu.edu "forwarding"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Katrina Resources](#) - [About Google](#)

©2005 Google

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

site:portal.acm.org "forwarding table" version

[Advanced Search](#)
[Preferences](#)**Web**

Results 1 - 30 of about 62 from portal.acm.org for "forwarding table" version. (0.09 seconds)

Small forwarding tables for fast routing lookupsWe present a **forwarding table** data structure designed for quick routing lookups.... Ipsilon Flow Management Protocol Specification for IPv4, **Version 1.0** ...portal.acm.org/citation.cfm?id=263133 - [Similar pages](#)**Longest prefix matching using bloom filters**... memory resources scale linearly with the number of prefixes in the **forwarding table**. Our approach is equally attractive for Internet Protocol **Version 6** ...portal.acm.org/citation.cfm?id=863955.863979 - [Similar pages](#)**[PDF] An Empirical Study of Router Response to Large BGP Routing Table Load**

File Format: PDF/Adobe Acrobat

except when the router flushes the entire **forwarding table** during a reset. ...In an extended **version** of this paper [4], we discuss tangentially ...portal.acm.org/ft_gateway.cfm?id=637233&type=pdf - [Similar pages](#)**[PDF] Small Forwarding Tables for Fast Routing Lookups**

File Format: PDF/Adobe Acrobat

forwarding table of 150-160 Kbytes. A lookup typically requires less than 100 instructions on ... **version** of Patricia trees [13], a data structure invented ...portal.acm.org/ft_gateway.cfm?id=263133&type=pdf - [Similar pages](#)**[PDF] MobiCom Poster: Instance-Based Networking: A Communication ...**

File Format: PDF/Adobe Acrobat

request to retrieve a specific **version** of the file or can request the latest**version** stored in the ... reaches node D, it checks its **forwarding table** and ...portal.acm.org/ft_gateway.cfm?id=965748&type=pdf - [Similar pages](#)**[PDF] Network Pointers**

File Format: PDF/Adobe Acrobat

could get a first LUNAR **version** up and running very fast (in hours). ...gram router [10] where the **forwarding table** is turned ...portal.acm.org/ft_gateway.cfm?id=774766&type=pdf - [Similar pages](#)**[PDF] Integrated Routing and Storage for Messaging Applications in ...**

File Format: PDF/Adobe Acrobat

standard **forwarding table** lookup (in proactive protocols) or ... Our simulations were run on ns **version 2.14b** [6], which pro- ...portal.acm.org/ft_gateway.cfm?id=1035720&type=pdf - [Similar pages](#)**[PDF] Trading Packet Headers for Packet Processing**

File Format: PDF/Adobe Acrobat

and flow ID's in 1P **Version 6**. We believe that the notion of ... cache (as opposed to its threaded index **forwarding table**). If ...portal.acm.org/ft_gateway.cfm?id=225992&type=pdf - [Similar pages](#)**[PDF] Topology Discovery in Heterogeneous IP Networks: The NetInventory ...**

File Format: PDF/Adobe Acrobat

pipelined **version** of ping for node discovery; that is, the ... format to store

the address **forwarding table** due to VLAN. considerations. ...
portal.acm.org/ft_gateway.cfm?id=1008464&type=pdf - [Similar pages](#)

[PDF] Considering Processing Cost in Network Simulations

File Format: PDF/Adobe Acrobat

ARM **version** of SimpleScalar toolset for binary simulation. due to its widespread academic use ... cesses to the **forwarding table**. Since the NPEST framework ...
portal.acm.org/ft_gateway.cfm?id=944782&type=pdf - [Similar pages](#)

[PDF] Scalable High Speed II? Routing Lookups

File Format: PDF/Adobe Acrobat

an IPv4 **forwarding table** from an Internet backbone router at the ... [HD96] Robert Hinden and Steven Deering. IP **version** 6 ad- ...
portal.acm.org/ft_gateway.cfm?id=263136&type=pdf - [Similar pages](#)

[PDF] Declarative Routing: Extensible Routing with Declarative Queries

File Format: PDF/Adobe Acrobat

tion to route packets (**forwarding table**). The neighbor table ... Once all the links are available at each node, a local **version** ...
portal.acm.org/ft_gateway.cfm?id=1080126&type=pdf - [Similar pages](#)

[PDF] IP Switching-ATM Under IP - Networking, IEEE/ACM Transactions on

File Format: PDF/Adobe Acrobat

One proposal reduces the **forwarding table** to a very efficient. representation of a binary tree ... on an earlier **version** of this paper. They also thank K. ...
portal.acm.org/ft_gateway.cfm?id=274748&type=pdf - [Similar pages](#)

[PDF] FIRE: Flexible Intra-AS Routing Environment

File Format: PDF/Adobe Acrobat

today forward all traffic using the same **forwarding table**. Traffic ... rithm would likely be a modified **version** of SPF or a max-flow. optimization. ...
portal.acm.org/ft_gateway.cfm?id=347544&type=pdf - [Similar pages](#)

[PDF] Designing a Context-aware Middleware for Asynchronous ...

File Format: PDF/Adobe Acrobat

logical **forwarding table** of tuples describing the next logical. hop, and its associated delivery ... Java Message Service Specification **Version** 1.1. ...
portal.acm.org/ft_gateway.cfm?id=1028485&type=pdf - [Similar pages](#)

[PDF] BANANAS: An Evolutionary Framework for Explicit and Multipath ...

File Format: PDF/Adobe Acrobat

This section describes the **forwarding table** structure and. forwarding algorithm corresponding ... the Linux Zebra **version** 0.92a of OSPF (ie control-plane) ...
portal.acm.org/ft_gateway.cfm?id=944766&type=pdf - [Similar pages](#)

[PDF] Challenges and Opportunities in Broadband and Wireless ...

File Format: PDF/Adobe Acrobat

forwarding table lookups, access control and implementing the. network stack. ... include one or more **version** simulators, debuggers, and ...
portal.acm.org/ft_gateway.cfm?id=602921&type=pdf - [Similar pages](#)

[PDF] New dynamic SPT algorithm based on a ball-and-string model ...

File Format: PDF/Adobe Acrobat

router based on a **forwarding table**. Routing protocols are ... A preliminary **version** of this paper was presented at the IEEE Infocom'99. ...
portal.acm.org/ft_gateway.cfm?id=504614&type=pdf - [Similar pages](#)

[PDF] Longest Prefix Matching Using Bloom Filters

File Format: PDF/Adobe Acrobat

unique address prefix lengths in the **forwarding table** given ... attractive for Internet Protocol **Version 6** (IPv6) which uses. 128-bit destination addresses ...

portal.acm.org/ft_gateway.cfm?id=863979&type=pdf - [Similar pages](#)

[PDF] Network architecture and traffic transport for integrated wireless ...

File Format: PDF/Adobe Acrobat

forwarding table is cleared, the tables in the IWUs should. have much longer life times than ... a delayed **version** of FRA access so it will not result in ...

portal.acm.org/ft_gateway.cfm?id=264133&type=pdf - [Similar pages](#)

[PDF] On-Chip Communication Architecture for OC-768 Network Processors

File Format: PDF/Adobe Acrobat

network topology and creates a **forwarding table**. The packet- ... simulation results of a simple circuit switched **version** of ...

portal.acm.org/ft_gateway.cfm?id=379047&type=pdf - [Similar pages](#)

[PDF] XORP: An Open Platform for Network Research

File Format: PDF/Adobe Acrobat

The FEA manages the networking interfaces and **forwarding table**. in the router, and provides information to routing ... Interface **version**. Method. Parameters ...

portal.acm.org/ft_gateway.cfm?id=774771&type=pdf - [Similar pages](#)

[PDF] On Network-Aware Clustering of Web Clients

File Format: PDF/Adobe Acrobat

and **forwarding table** snapshots The Internet consists of. a large collection of hosts connected by ... The most recent **version** of NLNR s IP network dump is ...

portal.acm.org/ft_gateway.cfm?id=347412&type=pdf - [Similar pages](#)

[PDF] Split-Stream Dictionary Program Compression

File Format: PDF/Adobe Acrobat

the native-compiled **version** of a given Java class [14]. Further, ... a **forwarding table** that maps items in sequence E to items in ...

portal.acm.org/ft_gateway.cfm?id=349307&type=pdf - [Similar pages](#)

[PDF] New dynamic algorithms for shortest path tree computation ...

File Format: PDF/Adobe Acrobat

router based on a **forwarding table**. Routing protocols are ... algorithm is also a dynamic **version** of the Dijkstra algorithm. It ...

portal.acm.org/ft_gateway.cfm?id=358915&type=pdf - [Similar pages](#)

[PDF] Hop By Hop Multicast Routing Protocol

File Format: PDF/Adobe Acrobat

neering Task Force), can be implemented by **Version 3** of. IGMP (Internet Group Management ... the control plane and a Multicast **Forwarding Table** (MFT) ...

portal.acm.org/ft_gateway.cfm?id=383079&type=pdf - [Similar pages](#)

[PDF] QoS-Aware Multicasting in DiffServ Domains

File Format: PDF/Adobe Acrobat

version of this paper was presented at the Global Internet. Symposium, GLOBECOM 2002. ... a Multicast **Forwarding Table** (MFT). Each Entry of MFT is ...

portal.acm.org/ft_gateway.cfm?id=1039112&type=pdf - [Similar pages](#)

[PDF] Cluster Communication Protocols for Parallel-Programming Systems

File Format: PDF/Adobe Acrobat

of the internal design and implementation of the base **version** of LCI. ...
ticast **forwarding table** that is created by the host at initialization time. When ...
portal.acm.org/ft_gateway.cfm?id=1012269&type=pdf - [Similar pages](#)

[PDF] [Characterizing Processor Architectures for Programmable Network ...](#)

File Format: PDF/Adobe Acrobat

We used algorithms for **forwarding table** compression and fast ... well below that
seen in the non-OS **version**, in Figure 3, due to the ...
portal.acm.org/ft_gateway.cfm?id=335237&type=pdf - [Similar pages](#)


[PDF] [Performance and Scalability of Mobile Wireless Base-Station ...](#)

File Format: PDF/Adobe Acrobat

router backbones, we use a modified **version** of the. wireless Open Shortest Path
First (OSPF) ... **forwarding table** on all the active routers is updated ...
portal.acm.org/ft_gateway.cfm?id=950392&type=pdf - [Similar pages](#)

Google ►

Result Page: 1 2 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

site:portal.acm.org "forwarding table"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Katrina Resources](#) - [About Google](#)

©2005 Google